

DUPONT™ Tyvek®

PRODUCT GUIDE

for STINGER® Tools & Fasteners

CS150B CAP STAPLER

LAUNCHED 2018

The **STINGER CS150B** is a versatile tool that provides builders with proven performance and best practice for securing synthetic underlayments as well as roofing felt, foamboard, and housewrap.





- **SHOOTS 7/8", 1-1/4" AND 1-1/2" 18ga STAPLES WITH FULL 1" PLASTIC CAPS**
- **CHOOSE BETWEEN BUMP FIRE OR SEQUENTIAL FIRE MODE**
- **COMPACT, ERGONOMIC DESIGN FOR MANEUVERABILITY**
- **360° TOOL-FREE ADJUSTABLE EXHAUST**
- **CARRYING CASE INCLUDED**
- **HOLDS 200 CAPS AND 200 STAPLES**
- **FIRES 5 CAP STAPLES PER SECOND (MAX. CYCLE/RATE)**

FOR USE WITH:
2000 CT. 18ga STINGER STAPLEPAC®

- 10 reels of 200 collated plastic caps
- 20 strips of 100 staples; 18 gauge
- Each StaplePac will cover approximately 25 square
- For use with STINGER CS150B & CS150 Staplers only
- **Meets ASTM F1667 requirements**

18ga STAPLES



7/8" StaplePac: **#0136044TV**
1-1/4" StaplePac: **#0136074TV**
1-1/2" StaplePac: **#0136094TV**

CH38-2 CAP HAMMER

The **STINGER CH38-2** is the economical, non-pneumatic alternative to stapling. The CH38-2 is an award-winning champion for installing housewrap, underlayment, and rolled insulation.





- **INCREASED INTERNAL HANDLE STRENGTH**
- **ADDED HANDLE GRIP TO AID PERFORMANCE**
- **IMPROVED STAPLE TRACK & SPRING FOR RELIABLE PERFORMANCE**
- **INCREASED WELD STRENGTH ON CUTTER AND TRIGGER AREAS**
- **IMPROVED STAPLE DESIGN TO MAXIMIZE PRODUCTIVITY**

FOR USE WITH: **2016 CT. 3/8" STINGER STAPLEPAC®**

- 12 reels of 168 collated plastic caps
- 24 strips of 84 staples
- Each StaplePac covers approximately 25 square
- For use with all STINGER CH38 style Cap Hammers
- **Meets ASTM F1667 requirements**



#0136420B

CH38A CAP HAMMER

The **STINGER CH38A CAP HAMMER** is our non-pneumatic autofeed cap hammer - and is ideal for installing housewrap and underlayment. Unlike the CH38-2, the CH38A does not require a trigger to advance the cap.



#0136401



- **TRIGGER FREE OPERATION**
- **IMPROVED TRACK AND FEED SPRING DESIGN**
- **EASY TO LOAD**
- **CONVENIENT BELT HOOK**
- **CAPS ADVANCE AUTOMATICALLY**

FOR USE WITH: **2016 CT. 3/8" STINGER STAPLEPAC®**

- 12 reels of 168 collated plastic caps
- 24 strips of 84 staples
- Each StaplePac covers approximately 25 square
- For use with all STINGER CH38-2 style Cap Hammers
- **Meets ASTM F1667 requirements**



#0136420B

CN100B CAP NAILER

NEW

The **STINGER CN100B CAP NAILER** is our premier pneumatic cap nailing innovation. When you need to quickly and safely lay down underlayment, this is the tool for you. And with a fastener capacity of 200 caps and nails, reloading is easy and efficient - another time saver!



#0136252



- **SHOOTS 1” x .083 NAILS WITH FULL 1” PLASTIC CAPS**
- **TOOL-FREE DEPTH OF DRIVE ADJUSTMENT**
- **LIGHTWEIGHT, COMPACT DESIGN**
- **360˚ EXHAUST**
- **CARRYING CASE INCLUDED**
- **HOLDS 200 CAPS AND 200 NAILS**
- **FIRES 5 CAP NAILS PER SECOND (MAX. CYCLE/RATE)**

FOR USE WITH: **2000 CT. 1” STINGER NAILPAC®**

- 10 reels of 200 collated plastic caps
- 10 coils of 200 Electro Galvanized ring shank nails
- Each NailPac will cover approximately 25 square
- For use with STINGER CN100B & CN100 Cap Nailer only
- **Meets ASTM F1667 requirements**



#0136260

Available in STINGER green caps only

COMMERCIAL

DUPONT™ TYVEK® COMMERCIAL WRAP CAPS

Why use a DuPont Tyvek Commercial Wrap Cap with a screw? Quality contractors and installers have been asking for an easy way to secure Tyvek products to steel studs. They also asked for increased holding power. We designed the DuPont Tyvek Commercial Wrap Cap Screw as the solution for quality commercial and steel stud installations.





- **SELF-TAPPING POINT, #8 SHANK WITH A MODIFIED TRUSS HEAD STYLE (PHILLIPS HEAD)**
- **SCREWS ARE ATTACHED FOR QUICK INSTALLATION**
- **CONSTRUCTED OF HIGH-DENSITY POLYETHYLENE**
- **2” DIAMETER CAP INCREASES FASTENER HOLDING POWER - REDUCING THE POTENTIAL FOR JOB-SITE BLOW-OFF**
- **LARGE PLASTIC CAP PROVIDES ADDITIONAL PROTECTION AROUND FASTENER PENETRATIONS**

PRODUCT	BOX CT.
1-3/4” Galv. Drill Point Screw with 2” Plastic Cap	1000
2” diameter Plastic Cap (caps only)	2000